

DRILL PIPE PERFORMANCE CHARACTERISTICS SHEET

				1
Pipe Size and Weight:	4" x 14.0 PPf	-	\uparrow	-)
Pipe Size and Weight: Pipe Grade:	<u>4 x 14.0 PP1</u> S	-	<u>ال</u>	- <u>i</u>
Range:	RII	-	2	4.875" OE
Tool Joint:	4.875" x 2.563" DPDS38	_		
1001 John.	4.675 X 2.505 DFD556	_	<u> </u>	
PIPE		-		
Dimensional Data	New	_		
OD (in)	4.000	_		2.563" ID
Wall thickness (in)	0.33	_	/ <i> </i> /	2.303 10
Minimum wall (%)	95.0	-		i
ID (in)	3.34			ļ l
Cross sectional area pipe body (in ²)	3.805			
Cross sectional area OD (in ²)	12.566			
Cross sectional area ID (in ²)	8.762			
Section modulus (in ³)	3.229			i l
Polar section modulus (in ³)	6.458			
				4"OD
Performance Data	New			
Torsional strength (ft-lbs)	41,918	_		
Tensile strength (lbs)	513,646	_		į į
80% Torsional strength (ft-lbs)	33,534			!
Burst Pressure capacity (psi)	19,491	31.5		
Collapse capacity (psi)	20,137	- m		
				i
TOOL JOINT (120 KSI minimum yield strength)				3.340" ID
Dimensional Data	New			(3.340 ID
OD (in)	4.875			
ID (in)	2.563			i I
Pin tong length (in)	10			
Box tong length (in)	12.5	_		
Connection	DPDS38	_		
Performance Data	New	-		
Torsional Strength (ft-lbs)	25,667	-		
Max Recommended Make-up Torque (ft-lbs)	15,400	-		
Min Recommended Make-up Torque (ft-lbs)	11,550	-		2.563" ID
Tensile strength (lbs)	649,158	-		
Tool joint/Drill pipe torsional ratio (New pipe)	0.61	-		X
	0.01		Τſ	
				Ki
Drill pipe assembly with DPDS38 tool joint		-1	10"	i i
Average length (ft)	31.5		√_ Լ	
Drift size (in)	2.438	-		
		7		

Note: Tool Joint and Pipe body values were derived as per API RP 7G and DS1 Latest edition. The above values are for refrence only. DPI LLC is not responsible or liable for any loss or damage or injury resulting from the use of above information.