

DRILL PIPE PERFORMANCE CHARACTERISTICS SHEET

PIDE SIZE and Woldner	2.3/8" x 6.65PPf
Pipe Size and Weight: Pipe Grade:	<u> </u>
Range:	2
Tool Joint:	4-3/8" x 1-5/8" NC31
PE	
imensional Data	New
OD (in)	2.375
Wall thickness (in)	0.28
Minimum wall (%)	95.0
ID (in)	1.815
Cross sectional area pipe body (in ²)	1.843
Cross sectional area OD (in ²)	4.430
Cross sectional area ID (in ²)	2.587
Section modulus (in ³)	0.867
Polar section modulus (in ³)	1.733
erformance Data	New
Torsional strength (ft-lbs)	8,751
Tensile strength (lbs)	193,500
80% Torsional strength (ft-lbs)	7,001
Burst Pressure capacity (psi)	21,663
Collapse capacity (psi)	15,713
OOL JOINT	
imensional Data	New
OD (in)	4.375
ID (in)	1.625
Pin tong length (in)	9
Box tong length (in)	11
Connection	NC31
Performance Data	New
Torsional Strength (ft-lbs)	16,951
Max Recommended Make-up Torque (ft-lbs)	10,171
Min Recommended Make-up Torque (ft-lbs)	7,628
Tensile strength (lbs)	623,844
Tool joint/Drill pipe torsional ratio (New pipe)	1.94
Drill pipe assembly with NC31 tool joint	
Average length (ft)	31.5
Drift size (in)	1.500

Note: Tool Joint and Pipe body values were derived as per API RP 7G and DS1 Latest edition. The above values are for refrence only. DPI LLC is not responsible or liable for any loss or damage or injury resulting from the use of above information. All data described are the users own risk & responsibility.