

DRILL PIPE PERFORMANCE CHARACTERISTICS SHEET

DRILL PIPE				
Pipe Size and Weight:	4" x 14.0 PPf		$\overline{}$	
Pipe Size and Weight: Pipe Grade:	S 8	\dashv	12.5"	- !
Range:	RII	-	5	5.00"
Tool Joint:	5" x 2.563" DPDS38		\downarrow \downarrow	\bar{\bar{\bar{\bar{\bar{\bar{\bar{
roor come.	3 X 2.300 DI DO00	-	<u> </u>	7
PIPE		-	`) <u>F</u>
Dimensional Data	New			
OD (in)	4.000			2.563" I
Wall thickness (in)	0.33			
Minimum wall (%)	95.0			
ID (in)	3.34			
Cross sectional area pipe body (in²)	3.805			
Cross sectional area OD (in²)	12.566			
Cross sectional area ID (in²)	8.762			
Section modulus (in³)	3.229			
Polar section modulus (in³)	6.458			
		_		4"OD
Performance Data	New	_		
Torsional strength (ft-lbs)	41,918			
Tensile strength (lbs)	513,646			
80% Torsional strength (ft-lbs)	33,534	ي ا		
Burst Pressure capacity (psi)	19,491	31.5'		
Collapse capacity (psi)	20,137	_		
TOOL JOINT		┥		
Dimensional Data	New			3.340" ID
OD (in)	5.000			
ID (in)	2.563	_]		
Pin tong length (in)	10			
Box tong length (in)	12.5			
Connection	DPDS38			
Performance Data	New			
Torsional Strength (ft-lbs)	25,833	\dashv		
Max Recommended Make-up Torque (ft-lbs)	15,500	\dashv		
Min Recommended Make-up Torque (ft-lbs)	11,625	\dashv		2.563" IE
Tensile strength (lbs)	649,158	\dashv		2.303
Tool joint/Drill pipe torsional ratio (New pipe)	0.62	\dashv	,	'
יווישטוווטן וווישטוומו וווישטוווטן וווישטווומן וווישטווומן ווישטווומן ווישטווומן ווישטווומן ווישטווומן ווישטוו	0.02	\dashv		
		<u> </u>	10"	Kį
Drill pipe assembly with DPDS38 tool joint			=	
Average length (ft)	31.5		∖	ı I
Drift size (in)	2.438		•	\
				\
				<u> </u>

Note: Tool Joint and Pipe body values were derived as per API RP 7G and DS1 Latest edition. The above values are for refrence only. DPI LLC is not responsible or liable for any loss or damage or injury resulting from the use of above information.